

SPORTEX



GERMANY



PREDATOR RODS

Technical specifications



Absolut Level3

Model	Item Code	Length cm	Length ft	Sec.	Transport length cm	Cating weight gr.	Tolerance CW gr.	Rod's weight gr.	Guides
ABSOLUT LEVEL3									
AB2122	190213	210	7	2	109	11-55	--	132	8
AB2212	190223	225	7,4	2	116	11-58	--	141	8
AB2422	190232	235	7,7	2	122	16-57	--	152	9
AB2423	190233	235	7,7	2	122	19-79	--	155	9
AB2424	190234	235	7,7	2	122	23-92	--	168	9
AB2722	190262	265	8,7	2	137	15-55	--	171	9
AB2723	190263	265	8,7	2	137	18-74	--	177	9

- Lightweight and powerful Helicore-Blank
- "X-Fast" action for a perfect transmission of the bite
- New „3DX-2" Carbon Mesh on the blank surface
- Slim SIC KL / KT – Style guides
- Qualitative FUJI TVS / ACS (Baitcast) reel seat
- Moveable Fuji EHKM hook keeper
- Sturdy EVA split handle

ABSOLUT LEVEL3 BAITCAST

AB1950 Pelagic	190196	195	6,4	2	140	65-125	--	133	9
AB2100	190210	210	7	2	109	3-19	--	104	11
AB2257 SharpShoot	190227	225	7,4	2	186	65-125	--	137	10



Graphenon Spin

Model	Item Code	Length cm	Length ft	Sec.	Transport length cm	Cating weight gr.	Tolerance CW gr.	Rod's weight gr.	Guides
GRAPHENON SPIN									
GS2101	119210	210	7	2	108	10	3-17	122	9
GS2111	119211	210	7	2	108	20	9-28	127	9
GS2401	119241	240	8	2	124	20	8-28	140	9
GS2402	119242	240	8	2	124	40	21-57	143	9
GS2403	119243	240	8	2	124	60	34-79	153	9
GS2701	119271	270	9	2	139	20	11-29	144	9
GS2702	119272	270	9	2	139	40	22-55	160	9
GS2703	119273	270	9	2	139	60	33-78	163	9

- Lightweight blank made of high-tech carbon fibers & graphene technology
- Very fast action with tremendous power
- FUJI SIC guides (KL / KT) with maximum heat dissipation
- FUJI TVS reel seat
- High-quality ergonomic EVA handles
- Seatrout models with premium full cork handle

GRAPHENON ULTRA LIGHT

GS2100	119200	210	7	2	108	1-7	--	123	9
GS2400	119240	240	8	2	124	1-7	--	135	9
GS2700	119270	270	9	2	139	1-7	--	144	9

GRAPHENON SEATROUT

GS2750 ULR	119260	270	9	2	139	6	1-9	156	9
GS2751	119261	275	9	2	140	25	5-28	170	9
GS3051	119301	305	10	2	155	25	5-28	183	10

GRAPHENON CAST

GS2122 Baitc.	119222	210	7	2	108	40	21-49	115	11
---------------	--------	-----	---	---	-----	----	-------	-----	----



TiBoron RS-3 Spin

Model	Item Code	Length cm	Length ft	Sec.	Transport length cm	Cating weight gr.	Tolerance CW gr.	Rod's weight gr.	Guides
TIBORON RS-3 SPIN									
TI2101	158211	210	7	2	109	20	11-31	101	8
TI2102	158212	210	7	2	109	40	19-53	104	8
TI2401	158241	240	8	2	124	20	9-33	110	9
TI2402	158242	240	8	2	124	40	19-55	120	9
TI2502	158252	255	8,3	2	131	40	18-53	125	9
TI2701	158271	270	9	2	141	20	8-32	128	9
TI2702	158272	270	9	2	141	40	17-52	134	9
TI2703	158273	270	9	2	141	60	21-74	145	9

- Lightweight and durable Helicore blank made of T1100 carbon with nanotechnology
- Fast action with excellent casting performance and damping properties
- Blank surface with „Fishscale" technology (similar to AIR SPIN RS-2)
- FUJI SIC guides
- Specifically designed FUJI VSS reel seat with 3K carbon handle
- High-quality split EVA handle (Seatrout models with 5A full cork)
- Detachable FUJI hook keeper

TIBORON RS-3 ULR

TI2100	158210	210	7	2	109	0,5-5	--	88	8
TI2200	158220	210	7	2	109	1-7	--	90	8
TI2400	158240	240	8	2	124	1-7	--	104	8
TI2700	158270	270	9	2	139	1-7	--	117	9

TIBORON RS-3 SEATROUT

TI2750	158250	275	9	2	141	15	5-19	135	9
TI2751	158251	275	9	2	141	25	6-31	138	9
TI3051	158351	305	10	2	161	28	9-35	154	10



Nobun

Model	Item Code	Length cm	Length ft	Sect.	Transport length cm	Cating weight gr.	Tolerance CW gr.	Rod's weight gr.	Guides
NOBUN SPIN									
NB2101	154211	215	7	2	110	20	7-31	118	9
NB2102	154212	215	7	2	110	40	11-53	123	8
NB2301	154231	235	7,7	2	121	20	9-31	125	8
NB2302	154232	235	7,7	2	121	40	13-54	127	8
NB2303	154233	235	7,7	2	121	60	19-74	136	8
NB2601	154261	265	8,7	2	136	20	8-32	138	9
NB2602	154262	265	8,7	2	136	40	12-55	144	9
NB2603	154263	265	8,7	2	136	60	18-76	150	9

NOBUN INLINE - MONOPIECE

NB1803	154183	180	6	1	180	50	16-65	133	--
--------	--------	-----	---	---	-----	----	-------	-----	----

NOBUN BAITCAST - MONOPIECE

NB1800	154181	188	6,1	1	188	2-13	--	119	10
NB1802	154182	185	6	1	185	12-48	--	123	10
NB1804	154184	185	6	1	185	23-79	--	127	10
NB2100	154210	215	7	2	111	3-18	--	112	10
NB2112	154213	215	7	2	111	40	11-53	119	10

NOBUN JIG

NB2612	154272	275	9	2	137	40	14-57	155	9
NB2613	154273	275	9	2	137	60	19-78	160	9

- Lightweight and durable Helicore blank made of T1100 carbon with nanotechnology
- Extra-fast action with powerful backbone and sensitive tip
- Excellent casting properties
- Specifically designed SPORTEX carbon reel seat Lightweight FUJI SIC guides with titanium frame
- Monocoque carbon handle (spin) or telescopic split carbon handles (baitcast)
- Detachable FUJI hook keeper



Beyond Spin

Model	Item Code	Length cm	Length ft	Sect.	Transport length cm	Cating weight gr.	Tolerance CW gr.	Rod's weight gr.	Guides
BEYOND SPIN									
BY2401	131241	240	8	2	124	20	11-31	148	9
BY2402	131242	240	8	2	124	40	22-56	147	9
BY2403	131243	240	8	2	124	60	33-73	150	9
BY2702	131272	270	9	2	139	40	23-55	167	9
BY2703	131273	270	9	2	139	60	34-72	175	9
BY2704	131284	270	9	2	139	80	53-93	184	9

BEYOND SEATROUT

BY2751	131251	275	9	2	142	25	9-33	150	9
BY3051	131351	305	9	2	156	25	11-31	173	10

- Super lightweight heptacore blank (heptagonal) made of T1000 high-performance carbon
- Incredible fast power, tremendous strength reserves, and exceptional sensitivity
- Excellent accurate casting performance
- FUJI TVS reel seat
- Original FUJI Titanium SIC guides (KW / KL / KT)
- High-quality cork handles



Air Spin RS-2

Model	Item Code	Length cm	Length ft	Sect.	Transport length cm	Cating weight gr.	Tolerance CW gr.	Rod's weight gr.	Guides
AIR SPIN RS-2									
AS2411	129231	240	8	2	123	20	9-31	134	9
AS2412	129232	240	8	2	123	40	15-57	143	9
AS2711	129261	270	9	2	140	20	9-29	136	9
AS2712	129262	270	9	2	140	40	14-56	151	9
AS2713	129263	270	9	2	140	60	18-74	157	9
AS2714	129264	270	9	2	140	80	22-96	168	9

AIR SPIN RS-2 SEATROUT

AS2750	129250	275	9	2	143	15	4-18	151	9
AS2751	129251	275	9	2	143	25	6-31	153	9
AS3151	129351	310	10,1	2	160	28	10-38	165	11

- Lightweight and durable Helicore blank made of T1100 carbon with nanotechnology
- Fast action with powerful backbone and sensitive tip
- Excellent casting and damping properties
- New „Fish-Scale“ technology on the blank surface
- Specially designed SPORTEX reel seat with FUJI Hoods
- Super lightweight FUJI Torzite rings with titanium frames
- Ergonomic Duplon / full cork handle (Sea-trout)
- Removable FUJI hook keeper
- End cap with removable counterweights



Revolt Spin

Model	Item Code	Length cm	Length ft	Sect.	Transport length cm	Cating weight gr.	Tolerance CW gr.	Rod's weight gr.	Guides
REVOLT SPIN									
RS2401	153241	240	8	2	124	20	11-31	163	9
RS2402	153242	240	8	2	124	40	21-56	173	9
RS2403	153243	240	8	2	124	60	33-73	193	9
RS2702	153272	270	9	2	139	40	23-55	189	9
RS2703	153273	270	9	2	139	60	34-72	211	9
RS2704	153274	270	9	2	139	80	53-93	225	9

REVOLT SEATROUT

RS2751	153251	275	9	2	141	25	11-33	174	9
RS3051	153351	305	10	2	156	25	9-31	199	10

REVOLT ULR

RS2100	153210	210	7	2	109	1-9	--	122	9
RS2400	153240	240	8	2	124	1-9	--	130	9
RS2700	153270	270	9	2	139	1-9	--	148	9

- Very lightweight heptacore blank (heptagonal) made of T800 high-performance carbon
- Tremendous fast power, excellent strength reserves, and extreme sensitivity
- Outstanding casting performance
- FUJI TVS reel seat
- High-quality SIC guides (KW / KL / KT style)
- Ergonomic EVA handles (Seatrout models with cork)



JIG-Xpert

Model	Item Code	Length cm	Length ft	Sect.	Transport length cm	Cating weight gr.	Rod's weight gr.	Guides
JIG-XPERT BARSCH								
JX1900	159190	192	6,3	2	99	1-11	98	8
JX2100	159210	213	7	2	110	3-15	109	8
JX2000 (Baitcast)	159200	192	6,3	2	99	1-11	104	10
JX2001 (Baitcast)	159191	188	6,1	2	97	4-18	105	10
JX2111 (Baitcast)	159201	213	7	2	110	3-15	112	10
JX2301	159230	235	7,7	2	121	4-19	121	9

JIG-XPERT ZANDER

JX1802	159182	188	6,1	2	97	19-48	114	8
JX2101 (Baitcast)	159211	210	7	2	109	8-29	117	10
JX2102	159212	210	7	2	109	11-39	116	8
JX2302	159231	235	7,7	2	121	8-29	128	9
JX2312 (Baitcast)	159232	235	7,7	2	121	8-29	134	11
JX2502	159252	250	8,2	2	129	15-45	149	9
JX2602	159263	265	8,7	2	136	17-53	162	10

JIG-XPERT HECHT

JX1904 (Baitcast)	159194	192	6,3	2	98	21-79	137	10
JX2204 (Baitcast)	159224	225	7,3	2	116	28-85	151	10
JX2405 (Baitcast)	159245	245	8	2	126	34-97	180	10
JX2504 (Baitcast)	159254	255	8,3	2	131	28-85	177	10
JX2507	159257	255	8,3	2	131	130-225	214	9
JX2605	159264	268	8,8	2	138	31-95	192	10
JX2606	159265	268	8,8	2	138	68-117	205	10

- Very fast and lightweight blank made of Japanese high-performance carbon
- Specifically designed for use with artificial lures targeting bass, pike, and zander
- Fast action and excellent casting properties
- Quality SIC guides in KL/KT style
- Solid TVS or ACS (baitcast) reel seat
- High-quality, slim split Duplon handles



Rival

Model	Item Code	Length cm	Length ft	Sect.	Transport length cm	Cating weight gr.	Rod's weight gr.	Guides
RIVAL ULR								
RV1800	184180	185	6	2	96	0,3-5g	65	8
RV1900	184190	198	6,4	2	102	0,5-7g	70	8
RV2000	184200	211	7	2	109	1-11g	76	9
RIVAL BASS								
RV2101	184191	213	7	2	110	2-12g / 1/16-3/8oz	86	9
RV2201	184202	218	7,1	2	113	4-23g / 3/16-3/4oz.	92	9
RIVAL JIG								
RV2302	184232	220	7,2	2	114	18-59g / 2oz	145	9
RV2303	184234	225	7,4	2	116	22-86g / 3oz	162	9
RV2306	184236	225	7,4	2	116	33-113g / 4oz	171	9

- Lightweight and powerful Helicore-Blank
- "X-Fast" action with powerful backbone and sensitive tip
- Outstanding casting and transmission properties
- Slim FUJI SIC KL / KT guides
- Qualitative FUJI TVS / ACS (Baitcast) reel seat
- Seaguide D-Hook keeper
- High grade EVA split handle



Carat GT-S

Model	Item Code	Length cm	Length ft	Sect.	Transport length cm	Cating weight gr.	Tolerance CW gr.	Rod's weight gr.	Guides
CARAT GT-S SPIN									
CC2111	133211	210	7	2	109	10	3-19	114	8
CC2112	133212	210	7	2	109	40	15-51	137	8
CC2401	133241	240	8	2	124	20	11-28	149	8
CC2402	133242	240	8	2	124	40	16-52	167	8
CC2502	133252	255	8,3	2	131	50	19-63	190	8
CC2701	133271	270	9	2	140	20	12-29	178	9
CC2702	133272	270	9	2	140	40	17-53	197	9
CC2703	133273	270	9	2	140	60	22-73	209	9

CARAT GT-S SPIN TRAVEL

CC3033	133302	300	10/8	5	66	50	21-67	238	10
CC3034	133303	300	10/8	5	66	70	32-88	246	10

CARAT GT-S ULTRA LIGHT

CC2100	133210	210	7	2	109	0,6-9	--	109	8
CC2400	133240	240	8	2	124	0,6-9	--	130	9
CC2700	133270	270	9	2	140	0,6-9	--	144	10

CARAT GT-S SEATROUT

CC2751	133251	275	9,2	2	142	25	5-29	171	9
CC3051	133351	305	10	2	155	28	8-34	196	10
CC2761	133261	275	9	3	96	25	5-29	179	9

CARAT GT-S SEATROUT FINESSE

CC2750	133250	275	9,2	2	142	15	6-19	157	9
--------	--------	-----	-----	---	-----	----	------	-----	---

- Very lightweight Helicore blank made of T1100 carbon with nanotechnology
- Fast action with powerful backbone and sensitive tip
- Excellent casting and damping properties
- Carbon DPS reel seat
- High-quality slim SIC guides (KW/KL/KT style)
- Ergonomic 3K carbon handles



LAKS

Model	Item Code	Length cm	Length ft	Sect.	Transport length cm	Cating weight gr.	Tolerance CW gr.	Rod's weight gr.	Guides
LAKS									
SK2903	108292	292	9,5	2	151	8-32		188	11
SK3203	108322	325	10,6	2	167	8-32		204	11

- Exclusive and slim blank made of Japanese high-performance carbon
- Parabolic action with reinforced backbone
- Stable and highly abrasion-resistant Seaguide SIC guides
- Robust Fuji DPS reel seat
- Very high-quality 4A split cork handle
- Also great for hunting sea trout



Black Arrow G3

Model	Item Code	Length cm	Length ft	Sect.	Transport length cm	Cating weight gr.	Tolerance CW gr.	Rod's weight gr.	Guides
BLACK ARROW G3 SPIN									
BA2131	146201	210	7	2	109	10	2-19	110	7
BA2132	146211	210	7	2	109	20	11-29	112	7
BA2133	146212	210	7	2	109	40	16-52	138	7
BA2440	146230	240	8	2	124	10	3-19	129	8
BA2431	146241	240	8	2	124	20	11-31	133	8
BA2432	146242	240	8	2	124	40	17-53	161	8
BA2433	146243	240	8	2	124	60	17-73	167	8
BA2434 (Baitc.)	146254	240	8	2	124	80	21-95	191	9
BA2435 (Baitc.)	146255	255	8,3	2	132	100	63-119	203	9
BA2732	146272	270	9	2	139	40	18-54	180	9
BA2733	146273	270	9	2	139	60	18-75	185	9
BA2734	146274	270	9	2	139	80	24-93	216	9
BA3033	146305	300	10	2	154	100	65-119	248	10

BLACK ARROW G3 ULR

BA1830	146180	180	6	2	94	0,5 - 7	--	89	8
BA2130	146210	210	7	2	109	0,5 - 7	--	95	8
BA2430	146240	240	8	2	124	0,5 - 7	--	107	9
BA2730	146280	270	9	2	139	0,5 - 7	--	123	10

BLACK ARROW G3 MUSKY

BA2308 (Baitc.)	146238	230	7,5	2	177	220	160-269	237	9
BA2509 (Baitc.)	146259	255	8,3	2	199	260	200-309	283	9

BLACK ARROW G3 STREET

BA1901	146190	195	6,3	2	164	10	3-19	119	8
BA2201	146200	215	7	2	184	10	3-19	126	9

- Very lightweight Helicore blank made of T800 carbon with nanotechnology
- Excellent casting properties
- Fast and sensitive action - perfect for all types of artificial lures
- Handle reinforced with 4X-Cross-Technology
- Seaguide SIC guides (KW/KL/KT style)
- FUJI VSS or ECS (baitcast) reel seat
- Ergonomically shaped Duplon handles



Seatrout Xpert

Model	Item Code	Length cm	Length ft	Sect.	Transport length cm	Casting weight gr.	Tolerance CW gr.	Rod's weight gr.	Guides
SEATROUT XPERT									
ST2852	121271	280	9,2	2	144	25	9-28	165	9
ST3152	121351	315	10,3	2	162	28	10-35	195	11
SEATROUT XPERT 3-TEILIG									
ST2832	121281	280	9,2	3	98	25	9-28	169	9
ST3163	121353	315	10,3	3	110	28	10-35	199	11
SEATROUT XPERT BAITCAST									
ST2862	121291	280	9,2	2	144	25	9-28	178	11
ST3162	121352	315	10,3	2	162	28	10-35	211	12
SEATROUT XPERT FINESSE									
ST2551	121251	250	8,2	2	128	15	5-18	151	8
ST2851	121261	280	9,2	2	144	15	5-18	166	9
SEATROUT XPERT ULR									
ST2750	121260	270	9	2	139	3-12	--	156	9
SEATROUT XPERT SBIRO									
ST3652	121362	360	12	3	125	28	10-35	216	12

- Lightweight and slim blank made of Japanese high-performance carbon
- Semi-parabolic action with excellent sensitivity in the tip section
- Handle reinforced with special carbon mesh
- Sturdy and highly abrasion-resistant K-Style SIC guides
- Robust FUJI DPS/ACS reel seat
- High-quality, slim continuous Duplon handle



Illusion

Model	Item Code	Length cm	Length ft	Sect.	Transport length cm	Casting weight gr.	Tolerance CW gr.	Rod's weight gr.	Guides
ILLUSION									
IL1950 (Baitcast) „Pelagic“	184195	188	6,1	2	108	110	55-122	144	10
IL2100 (Baitcast)	184210	210	7	2	109	10	3-17	104	11
IL2101	184211	210	7	2	109	20	12-34	108	8
IL2111 (Baitcast)	184201	210	7	2	109	20	12-34	114	11
IL2102	184212	210	7	2	109	40	19-52	122	8
IL2202 „SharpShoot“	184222	225	7,4	2	116	50	21-68	134	8
IL2400	184240	245	8	2	127	10	3-19	117	8
IL2401	184241	245	8	2	127	20	11-31	128	8
IL2402	184242	245	8	2	127	40	17-53	136	8
IL2412 (Baitcast)	184252	245	8	2	127	40	17-53	145	11
IL2403	184243	245	8	2	127	60	23-73	156	8
IL2414 (Baitcast)	184244	245	8	2	127	90	31-107	168	11
IL2700	184270	265	8,7	2	137	10	2-12	129	9
IL2701	184271	265	8,7	2	137	20	11-35	135	9
IL2702	184272	265	8,7	2	137	40	17-54	164	9
IL2703	184273	265	8,7	2	137	60	22-74	176	9
IL2704	184274	265	8,7	2	137	70	24-85	179	9

- Lightweight and high-performance blank made from „High-Performance“ carbon from Toray
- „X-Fast“ action, perfect for using hard and soft baits
- Crack-Camou design on the handle section
- Slim SIC KL / KT - style rings
- Solid TVS or ACS (Baitcast) reel seat
- EVA „Split“ rear grip with Crack-Camou design
- SEAGUIDE D-Hook hook keeper



Genium

Modell	Art.-Nr.	Länge cm	Länge ft	Teile	Transportlänge cm	Wurf-gewicht gr.	Toleranz Wurf-gew. gr.	Ruten-gewicht gr.	Ringe
GENIUM SPIN									
GN2101	116201	210	7	2	108	20	9-28	108	7
GN2102	116202	210	7	2	108	40	12-51	116	7
GN2401	116241	240	8	2	124	20	8-29	134	8
GN2402	116242	240	8	2	124	40	16-52	141	8
GN2403	116243	240	8	2	124	60	23-71	147	8
GN2501	116251	255	8,3	2	131	28	11-39	137	8
GN2502	116252	255	8,3	2	131	40	13-52	146	8
GN2701	116271	270	9	2	140	20	7-29	143	9
GN2702	116272	270	9	2	140	40	14-53	152	9
GN2703	116273	270	9	2	140	60	21-72	159	9
GN2704	116274	270	9	2	140	80	38-92	169	9
GENIUM ULR									
GN2100	116200	210	7	2	108	2-8	--	96	10
GN2400	116240	240	8	2	124	2-8	--	103	11
GN2700	116270	270	9	2	140	2-8	--	110	11

- Very lightweight and slim blank made of Japanese high-performance carbon
- Tremendous fast action, excellent power reserves, and top sensitivity
- Outstanding casting performance and damping properties
- Super lightweight and durable carbon guides (KW/KL/KT style)
- Seaguide XSS reel seat
- Ergonomic 3K carbon handles



Captor RS-2

Model	Item Code	Length cm	Length ft	Sect.	Transport length cm	Cating weight gr.	Tolerance CW gr.	Rod's weight gr.	Guides
CAPTOR RS-2 SPIN									
CP2111	125220	210	7	2	109	10	3-15	118	7
CP2112	125221	210	7	2	109	20	12-28	122	7
CP2411	125231	240	8	2	124	20	13-29	139	8
CP2412	125232	240	8	2	124	40	16-52	156	8
CP2413	125233	240	8	2	124	60	18-72	165	8
CP2711	125261	270	9	2	139	20	11-31	166	9
CP2712	125262	270	9	2	139	40	17-53	177	9
CP2713	125263	270	9	2	139	60	19-74	184	9
CAPTOR RS-2 SPIN BAITCAST									
CP2122	125222	210	7	2	109	20	12-28	151	11
CP2422	125252	240	8	2	124	40	16-52	166	10
CP2414	125253	240	8	2	124	80	22-94	188	8
CAPTOR RS-2 SEATROUT									
CP2750	125251	275	9	2	142	25	5-28	172	9
CP3050	125351	305	10	2	155	28	8-35	195	10
CAPTOR RS-2 COAST SPIN									
CP2902	125292	290	9,5	2	150	30	19-45	184	8

- Very lightweight and slim blank made of Japanese high-performance carbon
- Seaguide D-Hook hook keeper
- Excellent casting performance and damping properties
- Seaguide SIC guides (XOG/XQG)
- FUJI DPS reel seat
- High-quality split cork handles (Seatrout models with full cork)



Hydra Spirit

Model	Item Code	Length cm	Length ft	Sect.	Transport length cm	Cating weight gr.	Tolerance CW gr.	Rod's weight gr.	Guides
HYDRA SPIRIT									
HY2100	183220	210	7	2	109	10	3-16	112	7
HY2101	183221	210	7	2	109	20	8-29	116	7
HY2102	183231	210	7	2	109	40	11-53	120	7
HY2203	183233	220	7,2	2	114	60	17-73	136	7
HY2401	183261	240	8	2	124	20	7-31	137	8
HY2402	183262	240	8	2	124	40	12-55	157	8
HY2403	183263	240	8	2	124	60	17-74	163	8
HY2404	183264	240	8	2	124	80	24-94	186	8
HY2702	183282	270	9	2	140	40	12-54	175	9
HY2703	183283	270	9	2	140	60	18-75	181	9
HY2704	183284	270	9	2	140	80	23-95	188	9
HYDRA SPIRIT BAITCAST									
HY2111	183230	210	7	2	109	20	8-29	126	10
HY2112	183232	210	7	2	109	40	11-53	149	10
HY2219	183238	220	7,2	2	114	180	125-240	209	11
HY2412	183240	240	8	2	124	40	12-55	166	11
HYDRA SPIRIT SEACAST									
HY2422 Seacast	183254	240	8	2	124	40	13-57	189	8
HY2423 Seacast	183255	240	8	2	124	60	18-76	196	8

- Very fast and lightweight blank made of Japanese high-performance carbon
- Perfect for all types of artificial lures
- Excellent casting properties due to powerful backbone
- Handle reinforced with 4X-Cross-Technology
- Seaguide SIC guides (XOG/XQG/XOG-W)
- FUJI DPS or ACS (Baitcast) reel seat
- High-quality, slim continuous Duplon handle



Curve Spin RS-2

Model	Item Code	Length cm	Length ft	Sect.	Transport length cm	Cating weight gr.	Tolerance CW gr.	Rod's weight gr.	Guides
CURVE SPIN RS-2									
PS1811	117180	180	6	2	97	10	3-16	107	7
PS2110	117200	210	7	2	109	10	3-15	112	7
PS2111	117201	210	7	2	109	20	8-27	117	7
PS2411	117251	240	8	2	124	20	7-26	137	8
PS2412	117252	240	8	2	124	40	15-52	151	8
PS2413	117253	240	8	2	124	60	19-72	152	8
PS2711	117281	270	9	2	139	20	9-26	155	9
PS2712	117282	270	9	2	139	40	17-53	163	9
PS2713	117283	270	9	2	139	60	18-73	169	9
PS2714	117284	270	9	2	139	80	23-92	186	9
CURVE RS-2 SEACAST									
PS2422	117232	240	8	2	124	40	15-53	168	8
PS2423	117233	240	8	2	124	60	19-73	180	8

- Lightweight and slim blank made of Japanese high-performance carbon
- Parabolic action with reinforced backbone
- Handle with new „Spiral“ carbon technology
- Sturdy and highly abrasion-resistant Seaguide SIC guides (XOG/XQG/XOG-W)



Black Pearl MAXX

Model	Item Code	Length cm	Length ft	Sect.	Transport length cm	Casting weight gr.	Tolerance CW gr.	Rod's weight gr.	Guides
BLACK PEARL MAXX									
BP2121	122200	210	7	2	109	20	12-33	104	8
BP2131 (Baitcast)	122221	210	7	2	109	20	13-29	109	10
BP2421	122251	240	8	2	123	20	13-31	122	8
BP2432	122253	240	8	2	123	40	22-54	135	8
BP2442 (Baitcast)	122222	240	8	2	123	40	21-52	144	11
BP2423	122254	240	8	2	123	60	25-72	164	8
BP2424	122255	240	8	2	123	80	33-92	165	8
BP2711	122291	270	9	2	140	20	12-32	143	9
BP2712	122292	270	9	2	140	40	22-51	152	9
BP2713	122293	270	9	2	140	60	24-74	185	9
BP2714	122294	270	9	2	140	80	31-91	186	9
BP3151	122351	305	10	2	156	25	5-29	160	10
BP3012	122312	300	10	2	155	40	22-53	190	10
BP3013	122313	300	10	2	155	60	24-74	202	10

- Light blank made of Toray high modul carbon material
- Fast tip and powerful backbone
- Great casting properties
- Handle section reinforced with Toray "Slit"-Carbon Mesh
- KW / KL / KT-Style SIC guides
- SturdyTVS-Style reel seat
- High-quality EVA split handle
- SEAGUIDE D-Hook hook keeper

BLACK PEARL MAXX ULR

BP2200	122220	210	7	2	109	2-9	--	92	9
BP2500	122250	235	7,7	2	122	2-9	--	104	10
BP2600	122260	265	8,7	2	136	2-9	--	112	10

BLACK PEARL MAXX TRAVEL


BP2263 (Salzwasser)	122223	220	7,2	4	58	70	25-84	157	8
BP2462	122262	240	8	4	65	40	22-54	151	8
BP2763	122263	270	9	5	59	60	24-74	203	9



Rapid Spin / Deadbait

Model	Item Code	Length cm	Length ft	Sect.	Transport length cm	Casting weight gr.	Tolerance CW gr.	Rod's weight gr.	Guides
RAPID SPIN									
RP1900	160190	190	6,2	2	98	10	4-19	94	7
RP2100	160210	210	7	2	109	10	3-18	105	7
RP2101	160211	210	7	2	109	20	11-29	113	7
RP2401	160241	240	8	2	124	20	9-29	140	8
RP2402	160242	240	8	2	124	40	19-52	146	8
RP2403	160243	240	8	2	124	60	22-69	155	8
RP2701	160271	270	9	2	139	20	7-28	154	9
RP2702	160272	270	9	2	139	40	18-51	162	9
RP2703	160273	270	9	2	139	60	24-71	179	9
RP2704	160274	270	9	2	139	80	33-95	197	9
RP3002	160302	300	10	2	154	40	19-53	188	10
RP3003	160303	300	10	2	154	60	21-71	202	10
RAPID SPIN TRAVEL									
RP2601	160261	260	8,5	4	69	20	8-28	160	8
RP2602	160262	260	8,5	4	69	40	19-52	167	8
RP2603	160263	260	8,5	4	69	60	23-71	182	8
RAPID SPIN DEADBAIT									
RP2805	160294	295	9,6	2	151	28-85	--	222	7
RP3005	160315	315	10,3	2	161	35-98	--	246	8
RP3305	160336	335	11	2	171	42-121	--	285	9

- Lightweight blank made of Japanese high-modulus carbon
- Very fast tip and powerful backbone
- Excellent casting performance
- Unique Camou-Fish design on the blank
- Slim and robust SIC guides
- High-quality DPS reel seat
- Durable Duplon material on the handle section



Magnific Finesse

Model	Item Code	Length cm	Length ft	Sect.	Transport length cm	Cating weight gr.	Tolerance CW gr.	Rod's weight gr.	Guides
MAGNIFIC FINESSE L									
MG1800	155181	185	6,1	2	97	0,4-7	--	89	9
MG2001	155200	205	6,7	2	106	1,6-8	--	97	10
MAGNIFIC FINESSE ML									
MG1900	155190	195	6,4	2	102	2-10	--	97	9
MG2100	155210	210	7	2	108	4-13	--	102	11
MG2111 (Baitcast)	155211	215	7	2	111	3-15	--	112	11
MAGNIFIC FINESSE M									
MG1901	155191	195	6,4	2	101	5-18	--	107	9
MG1912 (Baitcast)	155202	195	6,4	2	102	9-28	--	117	11
MG2302	155231	235	7,7	2	121	7-23	--	126	11

- Very lightweight Helicore blank made of T1100 carbon with nanotechnology
- Very sensitive action - perfect for small and light lures
- Excellent casting properties
- FUJI SIC guides (KW/KL/KT)
- FUJI VSS or ACS (Baitcast) reel seat
- Removable FUJI EHKM hook keeper
- High-quality Duplon handles



Neowave RS-2

Model	Item Code	Length cm	Length ft	Sect.	Transport length cm	Cating weight gr.	Tolerance CW gr.	Rod's weight gr.	Guides
NEOWAVE RS-2 SUPER ULR									
AW2101	127224	210	7	2	109	0,1-5	--	76	9
AW2401	127234	235	7,7	2	121	0,1-5	--	81	9
AW2701	127264	265	8,7	2	136	0,1-5	--	93	10
NEOWAVERS-2 ULR									
AW2201	127225	210	7	2	109	0,8-9	--	77	9
AW2301	127235	235	7,7	2	121	0,8-9	--	82	9
AW2801	127265	265	8,7	2	136	0,8-9	--	94	10

- Lightweight and powerful Helicore-Blank
- Qualitative FUJI TVS reel seat
- Fast action with great casting performance and top sensitivity in the tip area
- New „3DX-2“ Carbon Mesh on the blank surface
- Lightweight TitaniumSIC guides in KL / KT-Style
- High-quality EVA splithandle
- Moveable Fuji EHKM hookkeeper



Kev Nitro RS-2

Model	Item Code	Length cm	Length ft	Sect.	Transport length cm	Cating weight gr.	Tolerance CW gr.	Rod's weight gr.	Guides
KEV NITRO									
SP2203	121223	225	7,4	2	117	17-73		165	8
SP2412	121252	235	7,7	2	122	16-57		154	9
SP2413	121253	235	7,7	2	122	19-75		162	9
SP2404	121254	235	7,7	2	122	23-96		167	9
SP2618 (Trolling / Spin)	121268	265	8,7	2	137	65-142		224	9
SP2712	121262	268	8,8	2	139	15-55		173	9
SP2713	121263	268	8,8	2	139	18-74		181	9
SP2704	121264	268	8,8	2	139	22-95		196	9

- Lightweight and powerful blank made from Toray's „High-Performance“ Carbon
- „Fast“ action with excellent casting characteristics
- Utilizes the latest KEV-Technology for increased pulling power
- Specially designed for catching predatory fish
- FUJI TVS reel seat
- Seaguide XOG / XQG / XOG-W SIC guides
- Slim continuous EVA rear grip
- SEAGUIDE D-Hook hook keeper



Huchen de Lux XT

Model	Item Code	Length cm	Length ft	Sect.	Transport length cm	Cating weight gr.	Tolerance CW gr.	Rod's weight gr.	Guides
HUCHEN DE LUX NT									
HD2408	108248	240	8	2	125	150	75-188	290	6
HD2708	108278	270	9	2	140	150	73-186	321	6
HD3008	108308	300	10	2	155	150	71-184	349	7

- Powerful blank made of Japanese high-performance carbon with proven HAT Cross-Winding technology
- Fast tip action for perfect lure control
- Extra large and sturdy Seaguide XQG SIC guides
- Robust DPS reel seat
- Built-in balancing weights in the handle for improved balance
- High-quality natural cork handles



NOVA RS-2

Model	Item Code	Length cm	Length ft	Sect.	Transport length cm	Cating weight gr.	Tolerance CW gr.	Rod's weight gr.	Guides
NOVA RS-2 ULR									
PT1810	113110	185	6	2	96	0,5-5	--	88	8
PT2010	113112	200	6,5	2	103	0,5-5	--	94	8
PT1811	113111	185	6	2	96	0,7-9	--	92	8
PT2011	113113	200	6,5	2	103	0,7-9	--	96	8
NOVA RS-2 TWITCH									
PT1910	113120	195	6,3	2	101	10	3-16	94	7
PT1911	113121	195	6,3	2	101	15	4-20	96	7
PT2110	113122	215	7	2	111	10	3-15	108	8
PT2111	113123	215	7	2	111	20	6-28	113	8
PT2121 Baitcast	113124	215	7	2	111	20	6-28	120	10
PT2431	113135	240	8	2	124	20	7-31	122	8
PT2432	113126	240	8	2	124	40	11-52	135	8
NOVA RS-2 JIG									
PT2602	113262	265	8,7	2	137	40	16-53	180	9
PT2603	113263	265	8,7	2	137	60	17-74	182	9
NOVA RS-2 VERTICAL									
PT1921	113131	195	6,3	2	101	30	10-39	122	8
PT1922 Baitcast	113132	195	6,3	2	101	30	10-39	129	10
NOVA RS-2 DROPSHOT									
PT2211	113140	225	7,3	2	117	10	5-19	129	8
PT2512	113141	250	8,2	2	129	15	5-24	131	9
NOVA RS-2 ULR TRAVEL									
PT2221	113151	210	7	4	57	2-8	--	126	9
PT2301	113152	230	7,6	5	51	2-8	--	143	10
NOVA RS-2 JERK TRAVEL									
PT1823 Baitcast	113160	180	6	4	49	60	31-74	166	10
NOVA RS-2 TRAVEL									
PT2421	113171	240	8	4	65	20	7-29	150	8
PT2422	113172	240	8	4	65	40	11-49	156	8
PT2423	113173	240	8	4	65	60	17-71	164	8

- Lightweight and slim blank made from Japanese high-performance carbon
- Fast action and excellent sensitivity in the tip section
- Handle reinforced with 3K carbon mesh
- Seaguide SIC guides (XOG / XQG / XOG-W)
- High-quality VSS reel seat
- Robust, ergonomically shaped Duplon grips



TROWLER

Model	Item Code	Length cm	Length ft	Sect.	Transport length cm	Cating weight gr.	Tolerance CW gr.	Rod's weight gr.	Guides
TROWLER									
TR2609	108268	260	8,5	2	133	125	72-139	272	8
TR2619 (Baitcast)	108269	260	8,5	2	133	125	72-139	268	10
TR2209	108209	225	7,5	2	114	125	72-139	219	8

- Fast and powerful slim blank made from Japanese high-modulus carbon
- Perfect for trolling with side planer
- Slim and sturdy Seaguide SIC guides
- 2.25m model suitable for both spinning and baitcasting reels
- 2.25m model features a cross butt design
- ALPS DPS or FUJI TCS (Baitcast) reel seat
- Durable full-length Duplon grip



Youngstar NT Children's fishing rod

Model	Item Code	Length cm	Length ft	Sect.	Transport length cm	Cating weight gr.	Tolerance CW gr.	Rod's weight gr.	Guides
YOUNGSTAR NT									
CR1612	151152	160	5,2	2	84	20	9-32	106	7

- Fast blank made of high-modulus carbon with 5% fiberglass content
- Good casting properties and strong backbone
- Stable SIC guides
- Specifically designed for use by children
- Also suitable for adults as a great bass and trout rod.